



# SAFETY DATA SHEET

## BEER GLASS CLEANER

Infosafe No.: CI02V  
ISSUED Date : 07/10/2021  
ISSUED by: custom

### 1. IDENTIFICATION

---

**GHS Product Identifier**

BEER GLASS CLEANER

**Product Code**

0010054

**Company Name**

CUSTOM CHEMICALS INTERNATIONAL PTY LTD (ABN 73 050 537 674)

**Address**

103-107 Potassium Street Narangba  
QLD AUSTRALIA

**Telephone/Fax Number**

Tel: 07 3204 8300

Fax: 07 3204 8311

**Emergency phone number**

13 1126 in Australia (AH)

**Recommended use of the chemical and restrictions on use**

Water based cleaner

### 2. HAZARD IDENTIFICATION

---

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Eye Damage/Irritation: Category 2A

Skin Corrosion/Irritation: Category 2

**Signal Word (s)**

WARNING

**Hazard Statement (s)**

Contact with acids liberates toxic gas.

Causes skin irritation.

Causes serious eye irritation.

**Pictogram (s)**

Exclamation mark

**Precautionary statement – Prevention**

Wash contaminated skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement – Response**

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If skin irritation occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 Take off contaminated clothing and wash before reuse.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients

| Name  | CAS         | Proportion |
|---|-------------|------------|
| Disodiummetasilicate  | 6834- 92- 0 | 0- <10 %   |
| Sodium Hypochlorite   | 7681- 52- 9 | <5 %       |
| Other ingredients classified as non hazardous at the concentrations used according to the criteria of Safe Work Australia |             | -          |

### 4. FIRST-AID MEASURES

#### Inhalation

If inhaled, remove affected person from contaminated area. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position. Apply artificial respiration if not breathing. Seek medical attention.

#### Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. If vomiting occurs, give further water to achieve effective dilution. Seek immediate medical attention.

#### Skin

Wash skin with plenty of water. Ensure contaminated clothing is washed before re-use or discard. Seek medical attention if burning, irritation or redness develops.

#### Eye contact

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

#### First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

#### Advice to Doctor

Treat symptomatically.

#### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

### 5. FIRE-FIGHTING MEASURES

#### Fire Fighting Measures

Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self contained breathing apparatus if risk of exposure to products of combustion or decomposition.

#### Suitable Extinguishing Media

Use carbon dioxide, water fog or fine water spray. Use media appropriate for the surrounding fire conditions.

#### Hazards from Combustion Products

Non combustible material however if involved in a fire will emit toxic fumes.

#### Specific Hazards Arising From The Chemical

This product is non combustible.

### 6. ACCIDENTAL RELEASE MEASURES

#### Spills & Disposal

Minor spills do not normally need any special clean up measures. In the event of a large spill, prevent spillage from entering watercourses. Wear appropriate protective equipment (as listed in Section 8 of this SDS) to prevent eye and skin contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material to be collected in appropriately labelled containers for disposal by an approved agent according to local regulations.

Residual deposits will remain slippery, wash down with excess water. If contamination of drains or sewers occurs advise local emergency services.

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Avoid contact with incompatible materials. When handling DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling.

### Conditions for safe storage, including any incompatibilities

Store in a cool dry well-ventilated area. Do not store in aluminium or light alloy containers. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Controls, Personal Protection

This product is a hazardous (IRRITANT) cleaning liquid. Once diluted with 1 equal volume of water (1:2 dilution), the product is no longer classified as hazardous according to the criteria of Safe Work Australia. Use good occupational work practice.

The use of protective clothing and equipment depends upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken.

### Occupational exposure limit values

No Exposure Limit Established

### Appropriate Engineering Controls

Special ventilation is not normally required. Nevertheless, adequate ventilation to keep mists and/or vapour levels to a minimum should be provided.

### Respiratory Protection

Not required for normal cleaning operations. Where high contaminant spray mist or vapour levels exist, ie, approaching the exposure limit, the following additional equipment is required: For short elevated exposures, eg, spillages:-

Appropriate organic vapour cartridge respirator as per the requirements of AS/NZS 1715 and AS/NZS 1716 (Respiratory protective devices). For prolonged exposure and

confined spaces:- full face air supplied or self contained breathing apparatus (if vapour levels exceed the Exposure Limit by more than ten times, air supplied apparatus should be used).

### Eye Protection

Generally not required to handle properly diluted solutions of the product. The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting etc.

### Hand Protection

Generally not required to handle properly diluted solutions of the product. Overalls, work boots & elbow length gloves are recommended for handling the concentrated product in quantity, cleaning up spills, decanting etc.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| Properties       | Description        | Properties          | Description                        |
|------------------|--------------------|---------------------|------------------------------------|
| Form             | Liquid             | Appearance          | Non viscous, straw coloured liquid |
| Odour            | faint chlorine     | Freezing Point      | Approx 0°C                         |
| Boiling Point    | 100°C              | Solubility in Water | Miscible in all proportions.       |
| Specific Gravity | 1.09 - 1.11 (25°C) | pH                  | 13.0 (neat)                        |
| Vapour Pressure  | Not available      | Volatile Component  | Ca 80% v/v                         |
| Flammability     | Non combustible    |                     |                                    |

## 10. STABILITY AND REACTIVITY

### Chemical Stability

Stable under normal conditions of storage and handling.

### Conditions to Avoid

ACIDS: violent reaction can occur, yielding heat and pressure which can burst an enclosed container. Attacks many reactive metals

(aluminium/magnesium/zinc alloys) releasing highly flammable gas (hydrogen) which generates fire or explosion hazards. Reacts slowly with ambient air (particularly carbon dioxide) which may cause certain insoluble salts to form in solutions.

**Incompatible materials**

Amines, ammonium salts, aziridine, methanol and phenylacetonitrile

**Hazardous Decomposition Products**

Product can decompose on combustion to form Carbon Monoxide, Carbon Dioxide, and other possibly toxic gases and vapours. Reacts vigorously with acids producing dangerous levels of gaseous chlorine.

**Hazardous Polymerization**

Reacts vigorously with acids producing dangerous levels of gaseous chlorine.

## 11. TOXICOLOGICAL INFORMATION

---

**Toxicology Information**

No adverse health effects expected if the product is used in accordance with this Safety Data Sheet and product label.

**Acute Toxicity - Oral**

For Disodium Metasilicate: LD50(rat) 770 mg/kg

LD50(mouse) 250 mg/kg

The toxic effects of the product are caused by the alkalinity and not by substance specific corrosive nature of the product.

**Ingestion**

Swallowing can result in nausea, vomiting of blood and eroded tissue; chemical burns of the mouth, throat & abdomen; perforation of the gastrointestinal tract.

**Inhalation**

Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation.

Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful corrosive effects including lesions of the nasal septum, pulmonary edema, pneumonitis and emphysema.

**Skin**

Irritant. may cause skin burns, severe irritation. Corrosion will continue until removed. Severity depends on the concentration and duration of exposure. Burns are not immediately painful; onset of pain may be minutes to hours.

**Eye**

Irritant. Eye contact will cause stinging, blurring, tearing & pain.

**Chronic Effects**

Prolonged and repeated skin contact with diluted solutions may induce eczematoid dermatitis.

## 12. ECOLOGICAL INFORMATION

---

**Ecotoxicity**

Harmful to aquatic life.

**Persistence and degradability**

Individual components stated to be biodegradable.

**Mobility**

Product miscible in all proportions with water. Do not discharge bulk quantities into drains, sewers or waterways.

**Environmental Protection**

Prevent large amounts from entering waterways, drains and sewers.

## 13. DISPOSAL CONSIDERATIONS

---

**Disposal considerations**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

## 14. TRANSPORT INFORMATION

---

**Transport Information**

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

**U.N. Number**

None Allocated

**Transport hazard class(es)**

None Allocated

## 15. REGULATORY INFORMATION

---

**Regulatory information**

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

**Poisons Schedule**

S5

**Australia (AICS)**

All ingredients present on AICS.

## 16. OTHER INFORMATION

---

**Date of preparation or last revision of SDS**

SDS reviewed: October 2021, Supersedes: Oct 2016

**References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants.

Hazardous Chemical Information System (HCIS) / Hazardous Substances Information System (HSIS), Safe Work Australia.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

**Uses and Restrictions**

Use in a concentration of 1 part product to 20 parts water. Follow instructions and recommendations of the machine manufacturer. Rubber gloves should be worn particularly during hand washing.

**User Information**

A mildly chlorinated detergent for the routine cleaning of beer glasses either by hand application or by an automatic glass washing machine. This product is specifically designed for the removal of the inevitable build up of scale deposits and other hard to remove stains such as lipstick.

**Other Information**

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writers knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product.

---

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.